

## Features & Benefits



<b>Maximum height line on tripod legs</b>	The max. height line allows for quick and easy set up to maximum tripod height without the need to count holes or guess where to insert the pins.
<b>Legs automatically lock in the open position</b>	Easy set up and added safety
<b>Telescoping legs (up to 2.4m high)</b>	Allow for compact storage and height adjustment for a wide variety of applications
<b>Aluminium legs and aluminium head</b>	Reduces weight for greater portability
<b>Accessories can attach to any leg</b>	Simplifies setup and improves ease of use
<b>Internal leg-locking mechanism (head)</b>	Prevents leg collapse in the event the tripod is moved during use
<b>Leg base support strap converts to convenient carrying strap</b>	Provides an easy way to carry the tripod to and from jobs
<b>Legs feature 4in. incremental adjustments that improve tripod stability when used on uneven surfaces</b>	Easy setup and independent leg adjustment to meet special application needs

## Technical Specifications

Material	
<b>Head</b>	Aluminium alloy
<b>Legs</b>	High-tensile aluminium alloy
<b>Feet</b>	Clear Chromate Zinc-plated steel with skid-resistant rubber tread
Technical Specifications	
<b>Maximum height of tripod</b>	2.4 m to top of tripod head 2.3 m under tripod head
<b>Weight</b>	19,5 kg
<b>Maximum material capacity</b>	280 kg
<b>Maximum personnel capacity</b>	181 kg
Certification	
<b>Approvals</b>	EN 795:2012

## Ordering Information

Part No.	Description
10116521	MSA Workman Tripod
10129891	Replacement leg strap
10129888	Steel carabiner
10169369	Carrying Bag

